a liquid-permeable adhesive member comprising a hydrophilic adhesive; and

an isolating layer;

wherein said hydrophilic adhesive is at least 30% by weight of said liquid-permeable adhesive member, said hydrophilic adhesive has a water content of 0.1% to 60% by weight of the adhesive composition, said isolating layer is provided for separating said active ingredient member and said adhesive member, wherein said adhesive member substantially covers one surface of said isolating layer, and said cleaning sheet on use being stuck on to an object to be cleaned by applying the adhesive member thereof to the object.

- 7. (Amended) The adhesive cleaning sheet according to claim 1, wherein said hydrophilic adhesive is selected from the group consisting of (i) a polymer having a salt-forming group, (ii) a nonionic water-soluble polymer, (iii) gelatin, (iv) an emulsion polymer, and (v) a crosslinked product of the polymers (i) to (iv).
- 8. (Amended) The adhesive cleaning sheet according to claim 1, wherein said hydrophilic adhesive is a sodium styrenesulfonate/methacrylic acid copolymer.

Please add the following claims:

- 9. (New) The adhesive cleaning sheet according to claim 1, wherein said adhesive member comprises an ingredient selected from the group consisting of a plasticizer, a surfactant, a chelating agent and water.
- 10. (New) The adhesive cleaning sheet according to claim 1, wherein said water content of said hydrophilic adhesive is 1% to 30% by weight.



(

- 11. (New) An adhesive mold removing cleaning sheet comprising:
- a) a liquid-permeable supporting sheet;
- b) an active ingredient member comprising a mold removing ingredient;
- c) a liquid-permeable adhesive member comprising a hydrophilic adhesive; and
 - d) an isolating layer;

wherein said hydrophilic adhesive is at least 30% by weight of said liquid-permeable adhesive member c),

said isolating layer d) inhibits direct contact between said active ingredient member b) and said liquid-permeable adhesive member c),

said active ingredient member b) is laminated with said isolating layer d), wherein the surface of said active ingredient member b) is covered with said isolating layer d), and

said adhesive mold removing cleaning sheet on use being stuck on to an object to be cleaned by applying said liquid-permeable adhesive member c) thereof to the object.

THE STANDARD CONTRACTOR AND A STANDARD